Object Incident Report

Edited copy s 47F (privacy)

Object Name: Bearded Lizard, Internal Organs.
Object Number: 1984.0010.0993.
Object Material(s): Internal organs, bearded lizard; ethanol solution.
Date of Incident: 26/04/12
Location of Incident: Row 2/G3/Main Store/NMA Repository/9-13 Vicars Street/ Mitchell/ACT.
NMA staff member completing this form:

Details of incident: Due to the impending replacement of the entire wet sprinkler system in that area, Registration staff were wrapping the high bay shelving in the Main Store at 9-13 Vicars Street in black plastic, and sealing the edges with duct tape.

While securing one 6-metre drop of plastic, I bumped against a shelf with my elbow, and felt something move the other side of the plastic. There were a series of clinking noises (glass on glass) followed by a tinkling noise (glass breaking). I carefully lifted the plastic away from the area to see that I had bumped a tall, wide and thin Wet Spec jar, which had bumped another, which had bumped another, which had bumped another, which had knocked over a tall, thin cylindrical jar containing the internal organs of a bearded dragon. This had fallen over and broken, disgorging the contents onto the shelf. Please find attached photos of object before and after incident.

NMA staff members present:		
Action taken:		
1.	contacted – Receptionist at 9-13VS on that day and	
	was formerly in Conservation rehousing Wet Specs.	
2.	Plastic pulled back to check full extent of damage.	
3.	Area cleared of Staff until had given OK.	
4.	notified – Supervisor of works.	
5.	rehoused Wet Spec as per her report and cleaned up area.	
6.	Triwall boards used vertically (1200 X 2400) behind black plastic to sheet	
	off all wet specs to minimise any further risk of bumping from NMA staff or	
	sprinkler contractors.	
7.	WH&S Incident Form completed.	
Date action taken: 26/04/12.		

Please file this report in <u>Object Incidents</u> folder and attach supporting documents such as updated condition report, photographs.

Object Incident Report

The following staff have been notified of this incident: xRegistration manager (mandatory) xConservation manager (mandatory) Staff member in NMA responsible for managing Security Curator and/or Assistant Director CC&E Exhibitions project manager Facilities manager

Please file this report in <u>Object Incidents</u> folder and attach supporting documents such as updated condition report, photographs.